LOCKEFORD PLANT MATERIALS CENTER ANNUAL TECHNICAL REPORT

2002

A Technical Summary of Plant Materials Studies at the Lockeford Plant Materials Center Lockeford, California

FOR MORE INFORMATION CONTACT: USDA Natural Resources Conservation Service David Dyer PMC Manager P.O. Box 68 Lockeford, CA. 95237 Phone (209) 727- 5319 Dave.Dyer@ca.usda.gov

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who requite alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write the USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 14th and Independence Avenue, SW. Washington, D. C., 20250-9410 or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

TABLE OF CONTENTS

Title	Page No.
Introduction, History and facilities	3
Personnel	4
California plant materials committee	5
Major land resource areas served	6
Newly released plants from the Lockeford PMC	6
Plant releases from Lockeford PMC	9
Nessella pulchra genetic analysis study	14
Vegetative control of Medusahead study	15
Native American basket weaving species study	17
Evaluation of selected plant materials for uptake of N and P study	21
Templeton range seeding trail	22
Evaluation of Perla grass for carbon levels and biomass-to-ethanol	29
Bio-mass eucalyptus clone study	39
Eucalyptus windbreak study	39
Saltgrass study	40
Time spent on activities	43
Publications	44
Presentations	44
Customers assisted by Lockeford PMC	48
PMC seed and vegetative production	66

INTRODUCTION, HISTORY AND FACILITIES

The Lockeford Plant Materials Center (PMC) is a federally owned and operated facility under the administration of the California State Office of the USDA Natural Resources Conservation service. The Lockeford PMC produces plant materials in cooperation with California Resource Conservation Districts, University of California, Foundation Seed Service, Agriculture Cooperative Extension, and the California Crop Improvement Association.

The plant materials program began February 1935 with the Soil Conservation Service Plant Materials Nursery at Santa Paula, California. In 1939 a 60-acre Plant Materials Center was established at Pleasanton, California. In September 1972 the Pleasant PMC was moved to the current site at Lockeford California.

The California plant materials program and the Lockeford PMC provide plant science support to the USDA-NRCS California Field Offices. The California Plant Materials Center in Lockeford collects promising plants and tests their performance under a variety of soil, climatic and use conditions. Over the past fifty years, 31 plants have been released for commercial seed production to solve soil and water conservation problems.

The Lockeford plant materials center is 106.7 acres of prime farmland located along the Mokelume River near Lockeford California. Irrigation water is available to all fields at the PMC. Initial and advance evaluation of new plant materials are conducted at this site. The PMC responsible for seed increase plantings of potentially valuable plant species and for the maintenance of seed stock of California cooperative releases. Field Evaluation Plantings (FEP's) are studies conducted away from the PMC at problem sites in cooperation with federal, state, municipal agencies, and private individuals.

PERSONNEL

STATE CONSERVATIONIST

Chuck Bell

Plant Resource Specialist

Tish Espinosa

The PRS is on the NRCS Davis Resource Technology Staff, supervised by the State Resource Conservationist, and has a office at the Lockeford PMC.

NAT'L PLANT MATERIALS SPECIALIST

Richard White

PLANT MATERIALS CENTER STAFF

Position	Name	Start	End
PMC Manager	David Dyer	03/03/87	Present
Farm Supt.	Celm Avitia	04/12/76	Present
Gardener	Jim Hutson	02/01/88	Present

CALIFORNIA PLANT MATERIALS COMMITTEE

State Office

DIANE HOLCOMB - State Resource Conservationist

- State Biologist
JERRY REIOUX - State Forester
- State Range Ecologist
BOB FRY - State Agronomist
ALAN FORKEY - State Wetlands Biologist
CHARLES DAVIS - State Conservation Engineer
ANITA BROWN - Director of Public Affairs
LORI METZ - Representing State Soil Scientist

Area I

JOHN WEATHERFORD - Soil Conservationist ANN FRANCIS - Landscape Ecologist DENNIS MOORE - Area I Resource Conservationist

Area II

SALLY NEGRONI - Soil Conservationist PHIL BLAKE - District Conservationist

Area III

JOE WILLIAMS - Cluster Agronomist DAVE DURHAM - Soil Conservationist PATRICK EVANS - Soil Conservationist

Area IV

RITA BICKEL - Area IV Resource Conservationist PATTI NOVAK-ECHENIQUE - Range Ecologist

PMC

DAVE DYER - PMC Manager TISH ESPINOSA - Plant Resource Specialist / Agronomist

MAJOR LAND RESOURCE AREAS SERVED

- 4 CA. Coastal Redwood Belt
- 5 Siskiyou Trinity
- 14 Central CA. Coastal Valleys
- 15 Central CA. Coast Range
- 16 CA. Delta
- 17 Sacramento and San Joaquin Valleys
- 18 Sierra Nevada Foothills
- 19 S. CA. Coastal Plain
- 20 S. CA. Mountains
- 21 Klamath and Shasta Valleys
- 22 Sierra Nevada Range
- 29 S. Nevada Basin

NEWLY RELEASED PLANTS FROM THE LOCKEFORD PMC

LK 517f Germplasm Saltgrass Distichlis spicata 2001 # 9032700

Application for Selected Reproductive Material Certification

David A. Dyer, Plant Materials Center Manager, USDA Natural Resources Conservation Service, P.O. Box 68, Lockeford, California, 95237

Phone: 209-727-5319; E-mail: Dave.Dyer@ca.usda.gov

A. Genus: Distichlis Species: spicata (L.) Greene

Variety/ssp: Select class LK 517f Germplasm Common Name: Saltgrass

B. Origin of the material.

State: CA County: Tulare Elevation: 246 feet MLRA: 17f

Mean Annual Precipitation: 7 to 10 inches

C. Method of Selection for Selected and Tested Materials. LK 517f saltgrass was sleeted and tested by the USDA Natural Resources Conservation Service under accession number 9032700.

LK 517f saltgrass was collected from a native stand near Pixley, California at an elevation of 246 feet above sea level, (legal description T023S – R24E – S10). Employees of the NRCS (formerly the Soil Conservation Service) originally obtained the plant material on May 31, 1982. It was evaluated in a common garden at Lockford plant materials center against 70 other populations assembled form California. In 1993 six accessions were selected for advanced evaluations. In 1993, a replicated advanced evaluation planting of the six accessions was established near Winters, California. The advanced evaluation site had clay soils and was on the side slopes of an irrigation canal. In October 1994, an evaluation confirmed that accession number 9032700 was superior.

- D. Botanical/Objective description of species. LK 517f saltgrass is a Califronia native, perennial, warm season grass with extensive creeping, yellowish, scaly rhizomes forming large colonies. LK 517f is coarse-leafed with an average leaf width of .120 inches; average leaf length of 2.9 inches; average height of 8.0 inches.
- E. Evidence for Selected Material supporting identity of the species and performance characteristics. LK 517f was not bred but selected for its overall performance and uniformity. It has been evaluated for foliage abundance and uniformity, vigor, and resistance to disease and drought.

Summary of performance data of LK517f saltgrass, Distichlis spicata. Randomized block plots with four replications. Evaluation taken October 1994 near Winters, California. F-A = Foliage Abundance, F-U = Foliage Uniformity, V = Vigor, DI = Disease, DR = Drought.

Rating criteria: 1= excellent, 9 = poor

- F. Area of adaptation and primary use of Selected Materials. LK517f saltgrass primary adaptation is to MLRA 17f; However, it is also adapted to MLRA's 16, 18 and all of MLRA 17. Establishment should be in the late spring using rhizomes or plugs planted on one-foot centers. Irrigation water should be applied the first summer to ensure stand establishment. LK517f saltgrass is used for riparian restoration and bank and shoreline stabilization.
- G. Procedure for maintaining planting stock. The Lockford PMC will maintain breeders and foundation planting stock.
- H. Additional restrictions. None.
- I. Reference specie sample sent with application forms.
- J. Site description. The soil found at the collection site is a deep, poorly drained clay with a clay loam substratum. Slope is 0 to 1 percent. There is a perched water table at a depth of 3 to 6 feet. Annual rainfall is 7 to 10 inches.
- K. Information to assist field inspectors. Average height 8.0 inches, average leaf width .120 inches, average leaf length 2.9 inches.
- L. Literature review. There is a need for an adapted variety of saltgrass for use through out parts of central California for riparian restoration use and for bank and shoreline stabilization. Saltgrass does not grow straight, but sprawls and forms dense mats. It is a perennial California native grass and grows in or near marsh areas. It is a warm season grass, growing from April to November. Saltgrass can be used for forage. Also, it can tolerate both water logging and long periods of drought.
- M. Availability of plant material. Rhizomes or plugs will be made available through the Foundation Seed Service, University of California, Davis.

- 1. Annual Technical Report Los Lunas Plant Materials Center, 1980.
- 2. Reduction of Levee Erosion in the Sacramento San Joaquin Delta, Department of Environmental Horticulture, UC Davis.
- 3. The Jepson Manual of Higher Plants of California, Hickman, Ed., 1993.
- 4. Saline Agriculture, International Affairs National Research Council, 1990.
- 5. Grass, an Identification Guide, Lauren Brown, 1979.

PLANT RELEASES FROM THE LOCKEFORD PMC

Scientific	Common	Release	Year
Arctostaphylos patula	greenleaf manzanita	Altura	1989
Atriplex canescens	fourwing saltbush	Marana	1979
Atriplex lentiformis	big saltbush	Casa	1979
Bromus carinatus	California brome	Cucamonga	1949
Bromus hordeaceus ssp.	soft chess	Blando	1954
Ceanothus cordulatus	mountain whitethorn	Maleza	1989
Ceanothus x flexilis	ceanothus	Cuesta	1991
Cleome isomeris	bladderpod	Dorado	1979
Dactylis glomerata	orchardgrass	Akaroa	1953
Dactylis glomerata	orchardgrass	Berber	1981
Elymus glaucus	blue wildrye	Mariposa	2000
Eriogonum fasciculatum	California buckwheat	Duro	1983
Eriogonum umbellatum var. polyanthum	sulphur flower buckwheat	Sierra	1987
Leymus triticoides	beardless wildrye	Rio	1991
Lolium rigidum	annual ryegrass	Wimmera 62	1962

foothill needlegrass	LK415f Germplasm	1998
purple needlegrass	LK115d Germplasm	1998
purple needlegrass	LK215e Germplasm	1998
purple needlegrass	LK315d Germplasm	1998
koleagrass	Perla	1970
bitterbrush	Lassen	1984
rose clover	MonteFrio	1991
rose clover	Wilton	1967
woollypod vetch	Lana	1956
annual fescue	Zorro	1977
	purple needlegrass purple needlegrass purple needlegrass koleagrass bitterbrush rose clover rose clover woollypod vetch	purple needlegrass LK115d Germplasm purple needlegrass LK215e Germplasm purple needlegrass LK315d Germplasm koleagrass Perla bitterbrush Lassen rose clover MonteFrio Wilton woollypod vetch Lana

CURRENT STUDIES AND INITIAL AND ADVANCED EVALUATION PLANTINGS

The following studies were requested from NRCS field offices and relate to the Plant Materials Program and Lockeford PMC strategic plan and business plan. In many cases, the NRCS field office staff worked closely with Dave Dyer, PMC Manager, in developing these studies and in some locations they took the lead in data collection. Many landowners helped with site preparation, plot lay out, fencing, planting and application of treatment materials and management treatments. Also, due to NRCS field office and Lockeford PMC staff networking efforts, many NRCS partners and Conservation Districts helped make these studies happen.

Study Number 0610008B Nesella pulchra genetic analysis

Study Confirm diversity of Nesella pulchra with ARS and San Francisco urban office. A paper titled Nucleotide Sequence Variation Among Natural Populations and Commercial Germplasm Sources of Purple Needlegrass was developed and was sent to field offices as a technical note.

PurposeTechnology Development

Funding: other

Duration 1998 - 2001

National Natural Areas 1.1

Species 1

Native 1

Accessions 10

Accessions 0

Status Active Plots: 0

Type: Advanced Evaluations 1

Evaluated: Y

SWAPA+H:	NRCS		<u>Resource</u>
Human	CRP	10%	Buffers
Plants	CTA	10%	Grazing Land Conservation
Soil	EQIP	10%	Invasive species
	EWP	10%	Native Species
	GLCI	20%	·
	UR	30%	
	WHIP	10%	

A paper titled "Mode of reproduction and amplified fragment length polymorphism variation in purple needlegrass (Nassella pulchra): utilization of natural germplasm sources" was developed. The paper was published in the British Journal of Molecular Ecology (2001) 10, 1165-1177. This paper was an USDA team effort involving the Agricultural Research Service, Natural Resources Conservation Service - Lockeford Plant Materials Center and San Francisco Urban Office.

The paper provides a source of information and background for personnel who are providing restoration and revegitation alternatives to landowners. It gives guidance on the genetic diversity of purple needlegrass and the result of distance from the seed source to the planting site. The USDA-ARS did the laboratory work and data analysis. LK315d purple needlegrass was determined to have a high level of genetic diversity and would be very appropriate for use in the eastern bay area and close enough to the San Francisco population to be considered for use in the western bay area.

Study Number 06C0003A Vegetative control of Medusahead

Study Evaluate Lana vetch broadcast seeding rates with P application for control of Medusahead.

Purpose Technology Development Species 1 Funding: NRCS Native 0 **Duration** 1999 - 2002 Accessions 1 National Rangeland 1.1 Accessions 0 **Status** Active Plots: 18

Type: Advanced **Evaluations** 1

Evaluated: Y

SWAPA+H:	NRCS		Resource
Animals	CRP	20%	Buffers
Human	CTA	20%	Grazing Land Conservation
Plants	EQIP	20%	Invasive species
Soil	GLCI	20%	Soil, Water, and Air Quality - Other
	WHIP	20%	•

ABSTRACT

'Lana' vetch was broadcast seeded with phosphate fertilizer to determine the optimum seeding rate. 'Lana' vetch was successful the first year at the Jackson, California, site in controlling Medusahead when planted at 20 pounds of pure live seed per acre.

INTRODUCTION

Improved methods for the control of the invasive specie Medusahead, Taeniatherum asperum, are needed. Medusahead has invaded large areas of rangeland in California and western Oregon and its spread is continuing at a rapid rate. Overseeding with 'Lana' vetch, Vicia dasycarpa, a self-perpetuating annual legume, appears to be a cost effective practical control (1). 'Lana' vetch can be broadcast seeded on rough terrain and established without seedbed preparation. Overseeding with 'Lana' vetch results in improved forage quality and control of Medusahead. 'Lana' vetch is an improved

variety of woollypod vetch which is a reliable self-seeding winter-active annual legume developed by the USDA Natural Resources Conservation Service Lockeford Plant Materials Center. This study evaluated three different broadcast-seeding rates of 'Lana' vetch and phosphate fertilizer applications.

METHODS AND MATERIALS

A randomized block design was used with three treatments and three replications. 'Lana' vetch was broadcast seeded at 12, 16, and 20 pounds of pure live seed (PLS) per acre near Jackson, California, (Camanche hunting club, 600 foot elevation, clay loam soil) and near Red Bluff, California, (1200 foot elevation, clay soil). Phosphate fertilizer with a 0-45-0 formulation was applied to all plots at the time of seeding at a 200 pounds per acre rate. The plots were 20 by 20 feet in size.

RESULTS AND DISCUSSION

'Lana' vetch exhibited poor performance at the Red bluff site. It did produce 13% ground cover by the end of the second year, which was not enough to control Medusahead.

'Lana' vetch showed excellent performance during the first year at the Jackson site. During the first year the 16 PLS pounds per acre rate had a 83.3 % average ground cover and the 20 PLS pounds per acre rate produced an 87.5 % average ground cover. 'Lana' vetch was successful during its first year of establishment and growth in controlling Medusahead. During the second year of evaluations there was a dramatic drop in the 'Lana' vetch ground cover that resulted in a lack of control of Madusahead. This decline was due to phosphate fertilizer not being applied the second year (1).

CONCLUSION

Where 'Lana' vetch is well adapted, it may be successfully broadcast seeded and used to control Medusahead in combination with applications of phosphate fertilizer. Phosphate fertilizer must be applied each year to maintain a high level of Lana vetch ground cover (1). The optimum seeding rate for Lana vetch is 20 PLS pounds per acre.

Table 1. Evaluation of 'Lana' vetch by treatments

	<u>Treatment</u>	Average % Cover	Average % Cover
<u>Location</u>	(PLS #/acre)	(2000)	<u>(2001)</u>
Red Bluff	12	3.3	5.0
	16	2.7	13.3
	20	3.0	8.3
Jackson	12	45.0	21.7
	16	83.3	20.0
	20	87.5	11.7

REFERENCES

1) Lana Vetch for Medusahead Control, Robert S. MacLauchlan, Journal of Range Management, Vol. 23, No 5, September 1970, pp. 351-353.

Study Number <u>06C0005Z Evaluation of native American basket weaving species</u>

Study Develop germination, propagation and establishment methods. Seeking additional bear grass seed collections, initial bear grass collections had 0 germination. In 2003, PMC staff will make sedge root and seed collections at PMC and will determine best propagation methods. No evaluation data at this time. This study is related to a aboriginal management of the PMC riparian area.

Purpose Technology Development	Species 2
Funding: NRCS	Native 2
Duration 1999 - 2003	Accessions 2
National Natural Areas 1.1	Accessions 0
Status Active	Plots: 2

Type: Advanced Evaluations 1

Evaluated: Y

SWAPA+H:	<u>NRCS</u>		<u>Resource</u>
Air	CTA	60%	Buffers
Animals	EQIP	30%	Native Species
Human	WHIP	10%	Outreach
Plants			
Soil			
Water			

Aboriginal Management of Riparian Environments in Central California

Don Hankins
M.A. Fellow
Geography Graduate Group
152 Walker Hall
University of California, Davis
Davis, California 95616

Introduction:

Since submittal of the fellowship proposal in 2002, numerous events have led to the modification of scope and intent of the research that was proposed at that time. Specifically, the following have contributed to the modification of the research:

- Instead of conducting research solely at the Cache Creek Nature Preserve (CCNP) in Woodland, California, a secondary research site has been secured at the Natural Resource Conservation Service's Plant Material Center (PMC) in Lockeford, California. The addition of this second research site broadens the scope of the work by doubling the number of transects for treatment analysis. Similarly, the two sites provide an opportunity for comparison between geographic locations.
- 2) A third party public entity not involved in this research objected to the treatments at the PMC research site, causing substantial delay in the final treatment of prescribed burning.
- 3) With the encouragement of community members and my graduate advisor, the focus of my research is currently evolving from a Master Thesis project toward Ph.D. dissertation research.

Considering the above noted changes to the scope and intent of this research, the goals, objectives, and hypotheses initially stated in my research proposal have been modified to reflect the current status of my research.

To summarize the proposal, the primary objective of this research is to identify the effects of prescribed fire on riparian ecosystems in central California. Specifically, this research will attempt to identify how fire can be used as a tool for resource management and conservation. Additionally, this research will attempt to define the historic and contemporary context for aboriginal land management practices and regimes in riparian ecosystems.

The hypotheses this research will attempt to verify are as follows:

- 1. Does native plant diversity and/or density increase following treatment (coppicing and burning)?
- 2. Which season of burn (spring or fall) minimizes adverse effects to native flora and fauna?
- 3. What is the intensity (temperature) and duration of fire in various vegetation types, and do these parameters vary seasonally?
- 4. How is fire management from a historic perspective different from fire management in the contemporary?
- 5. What is the fire history or regime within representative riparian ecosystems in central California?

Preliminary Findings:

Prescribed burns at the CCNP were carried out on November 20 and 27, 2002 respectively, and prescribed burn at the PMC was carried out on December 8, 2002. During these fire events, various observations were made of fire conditions and wildlife activity. The fires were generally low intensity with average flame heights less than 3 feet. Primary fuels ignited were leaf litter and woody fuels less than one inch in diameter along with grasses and forbes. During and after the fire events, community participants observed the activity levels of wildlife within the treated areas. Of the target species (small mammals, reptiles, and amphibians) identified for monitoring effects, no mortality was observed. Wildlife species observed included western fence lizard (Sceloporous occidentalis), cottontail rabbits (Sylvilagus spp.), and various passerine species. It is worthy to note that during the pre-burn trapping, only young of the year S. occidentalis were trapped or observed during the fall trapping period. No S. occidentalis were trapped at either site after November 5, 2002. However, during the fires at both the CCNP and PMC several adult S. occidentalis were observed active within the treated areas. Specifically, adults were observed moving about the charred and actively burning duff. The behavior of these individuals was noted as they burrowed into the warm ash in what appeared to be dust bathing. Similarly, various unidentified species of spiders were observed active within the burn areas, passing through flaming fronts and emerging on the other side apparently unharmed. Peak avifauna activity was observed within and above the burning area. Based on witness observations, it is presumed that avian activity focused around the foraging of insects, which were also active during the fires. Following the fires at the CCNP, it has been noted that mule deer (Odocoileus hemionus) activity increased within the burned areas. Specifically, the burned areas demonstrated an observed increase in tracks and bedding areas in comparison with unburned areas.

As stated in greater detail in the "Research Experience to Date" section below, there were difficulties in igniting the fuels at the PMC site. The observations of fire behavior between the fires at the CCNP and PMC exemplified the role weather conditions can have on fire properties. Fire behavior at both sites largely was regulated by fuel moisture and humidity. Thus, it was helpful to have several community members present to assist in ignition and spread of the fire. The figures below represent fire temperature and duration data collected at the CCNP on November 27, 2002 with an ambient air temperature of approximately 63 ° F, wind speed average of less than one mile per hour, and relative humidity of 30 percent.




Figure 1. This graph depicts the intensity and duration of fire in *Arundo* wood chip duff. As exemplified by the graph, the fire in this fuel type under the burn conditions reached approximately 800 F and maintained this intensity for approximately five minutes.




Figure 2. This graph depicts the intensity and duration of fire in a stand of *Carex barbarae*. As exemplified by the graph, the fire in this fuel type under the burn conditions reached approximately 275 F and maintained this intensity for only a few seconds. Additional peaks observed in this graph are likely representative of repeated dousing by the drip torch to test the data logger.

Field Experience to Date:

As indicated in the introduction, the delay in burn treatment at the PMC was initially caused by objections of a third party public entity. Specifically, this entity had been conducting biological monitoring that included stations within the research site at the PMC. Coordination with this entity began approximately one year prior to initiating research at this site. During previous discussions of this research, the entity appeared very supportive of the proposed research. However, as the target date for the burn treatment approached, the entity objected for fear that any burn treatment in the vicinity of their monitoring area might skew the results of their monitoring efforts. Several attempts were made to identify areas where their monitoring might have been affected by this research. However, the staff of the public entity refused to meet to work to a mutually agreeable implementation strategy. In order to maintain peace between the entity, community host, and the research, I delayed the burn treatment until their monitoring season was complete. This automatically meant that the objectives of burn timing following seasonal precipitation would not be met at the PMC. Discussion with community members led to a mutual agreement that we should still attempt to burn this season at the earliest possible date.

This posed another problem with scheduling a burn at the PMC. Specifically, the PMC is within the jurisdiction of the San Joaquin Valley Air Quality Control Board. Regulation of air quality within the San Joaquin Valley is among the most stringent in the United States. Due the season and weather patterns at the desired time of burning, permissible burn days were severely limited. The desired window to burn would have occurred approximately mid-November 2002. However, we were finally granted permission to burn on December 8, 2002. By this date, the PMC had received several inches of precipitation in the form of rain events and dense fog. Thus, many grasses had germinated and the burnable fuels had been dampened considerably. In consideration of the next possible burn day, it was decided to attempt to burn specific areas limited to plots surrounding and including the line transects. Considerable energy was devoted to accomplishing the burn objectives within these relatively small units. Regardless, we were able to achieve treatments within the desired units.

As result of these combined events, the hypotheses were modified to include comparison between fall and spring burning. Thus, this spring four new line transects will be established in the treatment areas at the CCNP and PMC to test seasonal variation in burn treatments.

Successes and Challenges:

Aside from the difficulties previously mentioned, the fieldwork has been quite successful. The CCNP graciously contracted the California Conservation Corps to complete the coppice treatment (i.e., ladder fuel removal) in the treatment area. At the PMC, community volunteers contributed 10 weekends of work to complete the coppice treatment. Since completion of the coppicing and fall burn prescriptions, additional volunteers have offered their assistance for future treatments and research needs.

One of the challenges of this research is coordination and timing of research activities between research sites and participatory communities. Through this process, I have learned the community extends beyond both the Native American and host communities at each research site as represented by recruitment of volunteers from outside of these communities

Lessons Learned Thus Far:

In any research, there must be room for modification of the applied research. I was not anticipating any difficulty in meeting my research objectives this season. However, the obstacles encountered have caused me to reconsider alternatives with the community and devise additional hypotheses that are believed to strengthen the value of this research. Essentially, the lesson is to maintain an open mind and be willing to deviate from the desired path of research when absolutely necessary.

Future Research Directions:

At present, multiple opportunities exist for this research to expand into new research sites and new research communities. Specifically, there has been some interest in furthering this research by investigating the role of fire in the conservation needs of the federally endangered riparian brush rabbit (*Sylvilagus bachmani riparius*). Specifically, species experts have expressed an interest in researching the effects of fire on the riparian brush rabbit. An unpublished report by Close and Williams¹ specifies the need to research the role of fire as a conservation tool for the riparian brush rabbit, and also cites the role of the California Indian Basketweavers Association (CIBA) as an integral partner in conducting this research. This

¹ Close, C.L. and D.F. Williams. date unknown. *Habitat Management for Riparian Brush Rabbits and Woodrats With Special Attention to Fire and Flood.* http://arnica.csustan.edu/esrpp/caswell_sum.htm

is research of interest to several community members and myself due to our resource conservation objectives and involvement with CIBA. Additionally, I have learned of similar research efforts in northern Australia among Aboriginal groups in Kakadu National Park. Preliminary research into fire and Aboriginal practices and policies in Australia demonstrates numerous avenues for comparative community participatory research. Largely, I see the potential research in Australia as an opportunity to study the continuity of continued Aboriginal land management practices as well as how policy within the region could serve as a model for how things might be improved in California. I have been offered the opportunity to pursue these options of broadening my research, however, further consideration is required to determine the practicality and feasibility of either of these options. Certainly both are of interest to me, and provide an interesting situation to diversify the participant pool into a larger research project.

Study Number <u>06C0007G</u> Evaluation of selected plant materials for uptake of N and P <u>after manure applications in pastures.</u>

Study Select best species for manure N and P uptake. This study was converted to a cultivar trail due to the lack of a PMC laboratory. No evaluation data or laboratory data developed at this time. Perla koleagrass, Tonic plantain and Teton tall fescue was established at a high enough level in the plots to allow for plant clippings after manure and fertilizer treatments. The other species in the study did not get established.

Purpose Technology Development

Funding: NRCS

Duration 1999 - 2003

National Cropland 4.1

Species 10

Accessions 10

Accessions 0

Status Active

Plots: 30

Type: Advanced Evaluations 1

Evaluated: Y

SWAPA+H:	NRCS		Resource
Human	CTA	20%	Buffers
Soil	EQIP	10%	Grazing Land Conservation
Water	FIP	10%	Nutrient Management
	SP	10%	Soil, Water, and Air Quality - Animal Waste Management - Beef
	WQ	50%	Soil, Water, and Air Quality - Animal Waste
Management -	Dairy		•

Study Number <u>06C0009H</u> Templeton range seeding trail

Study Select best cultivars and seed mixes. Field office and extension staff has the lead on this study. PMC and state range conservationist is helping with the evaluations. This seeding trail study which evaluated four seed mixes which were replicated three times and has three different grazing intensities (moderate, heavy and no grazing). Sixteen single species were seeded with three replications. The moderate grazing treatment appears to render the highest number of seedlings per square foot. The orchard grass has produced the most seedlings, far ahead of the other species. The extension service will provide data analysis and a joint paper is being developed.

Purpose Technology Development

Funding: NRCS

Duration 1999 - 2002

National Rangeland 1.1

Status Active

Type: Advanced

Species 16

Native 1

Accessions 16

Accessions 0

Plots: 48

Evaluations 1

Evaluated: Y

SWAPA+H: NRCS CRP 30% Resource Buffers

Soil	CTA	30%	Grazing Land Conservation
Water	EQIP	10%	_
	GLCI	20%	
	WQ	10%	

Table 1. Plants and seeding rates used at Varian ranch

Micropl ot	Common Name	Scientific Name	Seeds per Pound	Seeding Rate Lb./Ac.	Seeds per Sq. Ft.	Grams per Microplo
				(Bulk)	(Bulk)	(Bulk)
1	Blue Wildrye	Elymus glaucus	135,300	18.5	57	3.1
2	Hard Fescue	Festuca ovina	565,000	18.5	240	3.1
3	Hardinggrass	Phalaris tuberosa	347,000	18.5	147	3.1
		stenoptera				
4	Orchardgrass	Dactylis glomerata	540,000	18.5	229	3.1
5	Perlagrass	Phalaris tuberosa	267,000	18.5	113	3.1
		hirtiglumis				
6	Slender Wheatgrass	Agropyron trachycaulum	160,000	18.5	68	3.1
7	Mix A:			18.5		3.1
	Hardinggrass (Holdfast) 33.3%	Phalaris tuberosa	347,000			
		stenoptera				
	Perlagrass 33.3%	Phalaris tuberosa	267,000			
		hirtiglumis				
	Orchardgrass (Paiute) 33.3%	Dactylis glomerata	540,000			

8	Mix B:			18.5	3.1
	Perlagrass 48%	Phalaris tuberosa	267,000		
		hirtiglumis			
	Slender Wheatgrass 26%	Agropyron	160,000		
		trachycaulum			
	Hard Fescue 26%	Festuca ovina	565,000		
	Mix C:			10 F	3.1
9		D(// / /-	540.000	18.5	3.1
	Orchardgrass (Paiute) 50%	Dactylis glomerata	540,000		
	Hardinggrass (Holdfast) 25%	Phalaris tuberosa	347,000		
		stenoptera			
	Perlagrass 25%	Phalaris tuberosa	267,000		
		hirtiglumis			
4.0				10 =	
10	Mix D			18.5	3.1
	Blue Wildrye 50%	Elymus glaucus			
	Orchardgrass 50%	Dactylis glomerata	540,000		
11	Bur Medic (Serena)	Medicago polymorpha		27.6	4.6
12	Bur Medic (Santiago)			27.6	4.6
13	Barrel Medic (Sephi)	Medicago tribuloides		27.6	4.6
14	Barrel Medic (Jemalong)			27.6	4.6
15	Sub. Clover (Seaton			27.6	4.6
	` Park)				

16	Sub. Clover (Campeda)	Trifolium	27.6	4.6
		subterraneum		
17	Sub. Clover (Nungarin)	Trifolium	27.6	4.6
		subterraneum		
18	Sub. Clover (Koala)	Trifolium	27.6	4.6
	, i	subterraneum		
19	Sub. Clover (Losa)	Trifolium	18.5	3.1
		subterraneum		
20	Persian Clover (Nitro	Trifolium	27.6	4.6
	Plus)	resupinatum		

Table 2. Evaluation of seed mixes at Varian ranch, May 2001.

		Tot al			Ave	Gre en			Ave Green	Ave		%	
		Se edli ngs			Seedlings	Se edli ngs			Seedlings	Height		Seed	
Microplot	Species	0.2 5 sq ft			0.25 sq ft	0.2 5 sq ft			0.25 sq ft	in	Vigor	Prod	Notes
1	HPO (Mix A)	22	19	13	18	16	14	10	13	3	7	0	Harding- 33%; Perla- 33%; Orchard- 33%

2	Campeda Sub Clover	2	0	5	2	2	0	5	2	<1	2	0	
3	Slender Wheatgrass	9	4	3	5	5	4	3	4	<2	5	0	•
4	Harding Grass	4	9	5	6	2	5	3	3	<2	4	0	
5	BI Wr/Orchard (Mix D)	17	14	12	14	17	11	12	13	5	9	10	
6	Hard Fescue	34	15	13	21	29	12	12	18	<1	7	0	Blue Wildrye- 50%, Orchardg rass-50%
7	Seaton Sub Clover	1	4	6	4	1	1	2	1	<1	4	0	
8	HPO (unknown mix)	16	7	12	12	12	4	9	8	3	7	0	Harding, Perla, Orchard - % unknown
9	Santiago Bur Medic	3	13	10	9	0	0	0	0	<1	9	25	
10	Jemalong Barrel Medic	11	14	6	10	0	4	0	1	<1	8	0	
11	Blue Wildrye	9	25	8	14	9	25	8	14	8	10	20	
12	Orchard Grass	29	10	29	23	24	10	26	20	3	8	0	
13	Nitro Persian Clover	15	3	3	7	0	0	0	0	<1	7	0	
14	Perla Grass	13	4	14	10	2	2	4	3	< 2	2	0	
15	OPH (Mix C)	17	24	33	25	13	19	22	18	3	6	0	Orchard- 50%, Perla- 25%, Harding- 25%
16	Serena Bur Medic	8	12	5	8	0	12	1	4	<1	10	50	75% defoliated by insects/ro

													dents
17	Nungarin Sub Clover												grazed/tr ampled beyond recognitio n
18	Losa Sub Clover												grazed/tr ampled beyond recognitio n
19	Sephi Barrel Medic	12	2	0	5	5	0	0	2	<1	5	0	grazed by cattle; rodent/ra bbit pellets
20	Koala Sub Clover	0	2	1	1	0	0	0	0	<1	1	0	

Table 3. Evaluation of seed mixes and seedlings at Varian ranch, May 2001

		Total			Āve	Ave	Green			Ave	Ave	Ave		%
										Green	Green			
		Seedlings			Seedlings	Seedlings	Seedlings			Seedlings	Seedlings	Height		Seed
Micro plot	Species	0.25 sq ft			0.25 sq ft	per sq ft	0.25 sq ft			0.25 sq ft	per sq ft	in	Vigor	Prod
12	Orchard Grass	29	10	29	23	91	24	10	26	20	80	3	8	0
15	OPH (Mix C)	17	24	33	25	99	13	19	22	18	72	3	6	0
6	Hard Fescue	34	15	13	21	83	29	12	12	18	71	<1	7	0

11	Blue Wildrye	9	25	8	14	56	9	25	8	14	56	8	10	20
1	HPO (Mix A)	22	19	13	18	72	16	14	10	13	53	3	7	0
5	BI Wr/Orchard (Mix D)	17	14	12	14	57	17	11	12	13	53	5	9	10
8	HPO (unknown mix)	16	7	12	12	47	12	4	9	8	33	3	7	0
16	Serena Bur Medic	8	12	5	8	33	0	12	1	4	17	<1	10	50
3	Slender Wheatgrass	9	4	3	5	21	5	4	3	4	16	<2	5	0
4	Harding Grass	4	9	5	6	24	2			3	13	<2	4	0
14	Perla Grass	13	4	14	10	41	2	2	4	3	11	< 2	2	0
2	Campeda Sub Clover	2	0	5	2	9	2	0	5	2	9	<1	2	0
19	Sephi Barrel Medic	12	2	0	5	19	5	0	0	2	7	<1	5	0
7	Seaton Sub Clover	1	4	6	4	15	1	1	2	1	5	<1	4	0
10	Jemalong Barrel Medic	11	14	6	10	41	0	4	0	1	5	<1	8	0
9	Santiago Bur Medic	3	13	10	9	35	0	0	0	0	0	<1	9	25
13	Nitro Persian Clover	15	3	3	7	28	0	0	0	0	0	<1	7	0
20	Koala Sub Clover	0	2	1	1	4	0	0	0	0	0	<1	1	0
17	Nungarin Sub Clover													
18	Losa Sub													

Clover							
		l					

^{*}Vigor Ratings: 1= Excellent, 9= Poor

Study Number <u>06C0012Z Evaluation of Perla grass for carbon levels and potential for biomass-to-ethanol and global climate change</u>

Study Determine Perla carbon levels. UC Davis will do data analysis and results will be stated when this task is completed.

Purpose Technology Development

Funding: NRCS

Duration 2000 - 2005

National Rangeland 1.1

Species 1

Accessions 1

Accessions 0

Status Active

Plots: 9

Type: Advanced

Evaluations 0

Evaluated: N

SWAPA+H:	NRCS		Resource
Air	CRP	20%	Buffers
Human	CTA	20%	Carbon Sequestration
	EQIP	10%	Grazing Land Conservation
	GLCI	30%	Soil, Water, and Air Quality - Other
	SP	20%	·

SOIL NAME	Arbuckle	Cortina	Hillgate	Kimball
SOIL CLASSIFICATION	f-l, superactive thermic Typic Haploxeralfs	I-skel, superact thermic Typic Xerofluvents	fine, smectitic, thermic Typic Palexeralfs	f, active, thermic mollic Palexeralfs
SLOPE CLASS(ES) *	0 - 3 percent	nearly level	0-3 percent, 3-8 percent	0-3 percent, 3-8 percent
GEOMORPHIC POSITION	low terraces	alluvial fans and floodplains	low terraces	fan terraces
VEGETATION	range - annual grasses and forbs	rangeland	rangeland	annual grasses and forbs
DEPTH CLASS	very deep	very deep	very deep	very deep
RESTRICTION?	n/a	n/a	n/a; abrupt text chg to clay @ 19"	> 40" if present
DRAINAGE	well	somewhat excessively drained	moderately well drained	well drained
PERMEABILITY	moderately slow to slow	rapid	very slow and slow	very slow
SURFACE TEXTURE	sandy loam	grv sandy loam	loam	loam or gr loam
PARENT MATERIAL	alluvium from conglomerate/metased	mixed source gravelly alluvium	mixed alluvium	mixed alluvium
DEPTH TO CALCAREOUS?	n/a	n/a	> 38"	n/a
pH @ 20 cm *	6.2	6.4	6.3	5.7
SURF MSTR @ 15 BARS (%) *	4.6	4.2	6.1	4.9
C:N RATIO - SURFACE *	10	9	9	13

SOIL NAME	Myers	Newville	Parrish	Sehorn
SOIL CLASSIFICATION	fine, smectitic, thermic Aridic Haploxererts	fine, smectitic, thermic Mollic Palexeralfs	f, vermiculitic, mesic, Ultic Haploxeralfs	f, smect, thermic Aridic Haploxererts
SLOPE CLASS(ES) *	0-3 percent	3 - 10 percent +	10 - 30 percent	10 - 30 percent
GEOMORPHIC POSITION	basins	dissected terraces	uplands	uplands
VEGETATION		annual grass range	brushy range	range
DEPTH CLASS	very deep	moderately deep	moderately deep	moderately deep
RESTRICTION?	n/a	26"	26"	29"
DRAINAGE	well drained	well drained	well drained	well drained
PERMEABILITY	slow	slow	moderately slow to slow	slow
SURFACE TEXTURE	clay	gr loam	gr loam	clay loam
PARENT MATERIAL	mixed alluvium	softly consolidated alluvium	resid of Franciscan sed/metased	residuum from calc

				sand/shales
DEPTH TO CALCAREOUS?	25" +	n/a	n/a	25" +
pH @ 20 cm *	n/a	n/a	5.7	6.9
SURF MSTR @ 15 BARS (%) *	n/a	7.2	12	19.1
C:N RATIO - SURFACE *	n/a	10	20	10

SOIL NAME	Tehama	Zamora
SOIL CLASSIFICATION	f-s, mixed, thermic, Typic Haploxeralfs	f-s, mixed, thermic, Mollic Haploxeralfs
SLOPE CLASS(ES) *	0-3 percent, 3-8 percent	0-3 percent
GEOMORPHIC POSITION	fans and terraces	fans and terraces
VEGETATION	dry farmed crops	annual grasses/forbs, occas oaks
DEPTH CLASS	deep to very deep	deep
RESTRICTION?	n/a	n/a
DRAINAGE	well drained	well drained
PERMEABILITY	slow	moderately slow
SURFACE TEXTURE	silt loam	silt loam
PARENT MATERIAL	mixed alluvium	mixed alluvium
DEPTH TO CALCAREOUS?	n/a	51"
pH @ 20 cm *	6.5	7
SURF MSTR @ 15 BARS (%) *	5	11
C:N RATIO - SURFACE *	10	12

* - Soil Survey Tehama County, CA (1967). Data may be extrapolated from geographically similar soils. All other data from OSD One square foot samples of biomass was sampled and weighed on a digital scale. No new Perla planting biomass will be sampled until it is established.

Table 1. Biomass Data

	Old	Annual Range	New Perla
	Perla		
Sample 1	56.4	16.6	Not sampled
weight			
(grams/ft ²)			
Sample 2 weight (grams/ft²)	57.7	24.2	Not sampled
Sample 3 weight (grams/ft²)	51.9	25.2	Not sampled
Average weight (grams/ft²)	55.33	22.0	N/A
Average Pounds	5,309	2,111	N/A
per Acre			


Roots were sifted from one square foot soil for each soil sampling depth and weighed on a digital scale for the 11-year old Perla and annual range grasses. No new Perla planting roots will be sampled until it is established.


Table 2. Root Data

1 1001 21 1100 2 1111				
	Old	Annual Range	New Perla	

	Perla		
0 – 5 cm (grams/ft²)	218.4	6.6	Not sampled
5 – 15 cm (grams/ft ²)	12.8	0.2	Not sampled
15 – 65 cm (grams/ft²)	41.5	Not measurable	Not sampled
65 – 86 cm (grams/ft²)	19.6	Not measurable	Not sampled
85 – 100 cm (grams/ft²)	2.8	Not measurable	Not sampled
Profile Total (grams/ft²)	295.1	6.2	N/A
Pounds / Acre (0 – 100 cm)	28,314	652.44	N/A


Pit 1. Yolo Conservation Field Trial, Yolo L&C Annual Range, Year 2001 Data






80 84 Cr - 73 cm+ **Siltstone** 88 90 X (2) X (1) Pit 2. Yolo Conservation Field Trial, Pete's Valley Perennial Range, Year 2001 Data **Electrical Conductivity (dS/meter)** .02 .04 .06 .08 .10 .12 .14 .16 .18 .20 .22 .24 .26 Soil pH 5.0 5.3 5.6 5.9 6.2 6.5 6.8 7.1 7.4 7.7 8.0 8.3 8.6 **Soil Moisture Content (grams/gram)** .03 .04 .05 .06 .07 **80.** .09 .10 .11 .12 .13 .15 Soil Profile Soil Respiration Standardized to 25 C (lbs. CO₂-C/ Description Ap - 0 to 7 cm 4 dk gray brown 7 cm ----- Silty Clay 8 12 Note: Replicates (#) X for Respiration test only; A1 - 7 to 30 cm 16 values for reps averaged. very dk gray-






th (cm)

Pit 3. Yolo Conservation Field Trial, Yolo L&C Perennial Range, Year 2001 Data





Bio-mass eucalyptus clone selections study

Study Select best clone for bio-mass use. Eucalyptus Improvement association is the project leader with four sites in California. EIA has data collection and analysis lead and they will make final selections. EIA has had a very low level of activity in recent years and has collected no data in the past five years. EIA has been requested to complete this study. No action to date.

Purpose Release Species 1
Funding: Other Native 0
Duration 1991 - 2002 Accessions 30
National Forestland 1.1 Accessions 0
Status Active Plots: 120
Type: Initial Evaluations 0

Evaluated: N

SWAPA+H:
AirNRCS
CTAResource
BuffersHumanFIP20%Carbon SequestrationPlantsUR20%Soil, Water, and Air Quality - Other

Eucalyptus evaluation for windbreak use study.

Study Release improved windbreak tree. One selection has been made and the development of a release notice is in progress. No new data has been collected in the past year.

PurposeRelease Species 45

Funding: NRCS

Duration1982 - 2001

National Cropland 3.1

Status Active

Type: Initial

Native 0

Accessions 52

Accessions 2

Plots: 52

Evaluations 1

Evaluated: Y

SWAPA+H:	NRCS_		Resource
Air	CTA	40%	Buffers
Animals	EQIP	30%	Carbon Sequestration
Human	UR	30%	Soil erosion and sediment control - Agriculture
Soil			Soil, Water, and Air Quality - Other

Evaluation of saltgrass study

Study Release developed.

Purpose Release Species 1
Funding: Other Native 1
Duration 1981 - 2001 Accessions 40
National Water Quality 3.1 Accessions 1
Status Completed Plots: 40
Type: Advanced Evaluations 1

Evaluated: Y

SWAPA+H:	NRCS		Resource
Animals	CTA	20%	Buffers
Plants	EWP	20%	Invasive species
Soil	UR	10%	Native Species
Water	WHIP	10%	Riparian
	WQ	20%	Soil erosion and sediment control - Agriculture
			Soil erosion and sediment control - Urban

Application for Selected Reproductive Material Certification

Name/Address of Applicant/Collector

David A. Dyer, Plant Materials Center Manager, USDA Natural Resources Conservation Service, P.O. Box 68, Lockeford,

California, 95237

Phone: 209-727-5319; E-mail: Dave.Dyer@ca.usda.gov

A. Genus: Distichlis Species: spicata (L.) Greene

Variety/ssp: Select class LK 517f Germplasm Common Name: Saltgrass

C. Origin of the material.

State: CA County: Tulare Elevation: 246 feet MLRA: 17f

Mean Annual Precipitation: 7 to 10 inches

C. Method of Selection for Selected and Tested Materials. LK 517f saltgrass was sleeted and tested by the USDA Natural Resources Conservation Service under accession number 9032700.

LK 517f saltgrass was collected from a native stand near Pixley, California at an elevation of 246 feet above sea level, (legal description T023S – R24E – S10). Employees of the NRCS (formerly the Soil Conservation Service) originally obtained the plant material on May 31, 1982. It was evaluated in a common garden at Lockford plant materials center against 70 other populations assembled form California. In 1993 six accessions were selected for advanced evaluations. In 1993, a replicated advanced evaluation planting of the six accessions was established near Winters, California. The advanced evaluation site had clay soils and was on the side slopes of an irrigation canal. In October 1994, an evaluation confirmed that accession number 9032700 was superior.

- D. Botanical/Objective description of species. LK 517f saltgrass is a Califronia native, perennial, warm season grass with extensive creeping, yellowish, scaly rhizomes forming large colonies. LK 517f is coarse-leafed with an average leaf width of .120 inches; average leaf length of 2.9 inches; average height of 8.0 inches.
- M. Evidence for Selected Material supporting identity of the species and performance characteristics. LK 517f was not bred but selected for its overall performance and uniformity. It has been evaluated for foliage abundance and uniformity, vigor, and resistance to disease and drought.

Summary of performance data of LK517f saltgrass, Distichlis spicata. Randomized block plots with four replications. Evaluation taken October 1994 near Winters, California. F-A = Foliage Abundance, F-U = Foliage Uniformity, V = Vigor, DI = Disease, DR = Drought.

F-A F-U V DI DR 4 4.5 3 4 4

Rating criteria: 1= excellent, 9 = poor

- N. Area of adaptation and primary use of Selected Materials. LK517f saltgrass primary adaptation is to MLRA 17f; However, it is also adapted to MLRA's 16, 18 and all of MLRA 17. Establishment should be in the late spring using rhizomes or plugs planted on one-foot centers. Irrigation water should be applied the first summer to ensure stand establishment. LK517f saltgrass is used for riparian restoration and bank and shoreline stabilization.
- O. Procedure for maintaining planting stock. The Lockford PMC will maintain breeders and foundation planting stock.
- P. Additional restrictions. None.
- Q. Reference specie sample sent with application forms.
- R. Site description. The soil found at the collection site is a deep, poorly drained clay with a clay loam substratum. Slope is 0 to 1 percent. There is a perched water table at a depth of 3 to 6 feet. Annual rainfall is 7 to 10 inches.
- S. Information to assist field inspectors. Average height 8.0 inches, average leaf width .120 inches, average leaf length 2.9 inches.
- T. Literature review. There is a need for an adapted variety of saltgrass for use

through out parts of central California for riparian restoration use and for bank and shoreline stabilization. Saltgrass does not grow straight, but sprawls and forms dense mats. It is a perennial California native grass and grows in or near marsh areas. It is a warm season grass, growing from April to November. Saltgrass can be used for forage. Also, it can tolerate both water logging and long periods of drought.

M. Availability of plant material. Rhizomes or plugs will be made available through the Foundation Seed Service, University of California, Davis.

References:

- 6. Annual Technical Report Los Lunas Plant Materials Center, 1980.
- 7. Reduction of Levee Erosion in the Sacramento San Joaquin Delta, Department of Environmental Horticulture, UC Davis.
- 8. The Jepson Manual of Higher Plants of California, Hickman, Ed., 1993.
- 9. Saline Agriculture, International Affairs National Research Council, 1990.
- 10. Grass, an Identification Guide, Lauren Brown, 1979.

Time Spent on Activities for Lockeford PMC

State = CA

<u>Technology</u>			<u>Technol</u>	logy	Seed/Plant			
Releases	5	%	Written:	10 %	Foundation:	20 %		
Technology	15	%	Oral:	5 %	Field	10 %		
			Other:	5 %	Funded Production:	0 %		
Subtotal	20	%	Subtotal	20 %	Subtotal	30 %		

Maintenance and

Facility or Land 30 %

Other 0 %

Publications for Lockeford PMC

Fiscal Year 2002

R.Perez and D.Dyer 2001. Lockeford PMC poster. Lockeford PMC poster, Fresno, CA. 12-13-2001. 1p.

D.Dyer 2002. Escondido, LA, Somis Trip Report. Lockeford PMC, Lockeford, CA. 1-24-2002. 5p.

D.Dyer 2002. Lockeford PMC 2001 Annual Technical Report. NRCS, Lockeford, CA. 2001. 48p.

D.Dyer 2002. Lockeford PMC year 2001 progress report of activities. Lockeford PMC, Lockeford. 3-26-2002. 4p.

D. Dyer and T. Espinosa 2002. Lockeford PMC and PM Program Success Stories. Lockeford PMC, Lockeford. 1. 3p.

Audrey Cooper 2002. Lockeford is little-Known research hub. Stockton Record, D.Dyer provided all input, Stockton, CA. Aug. 19, 2002. 2p.

Presentations for Lockeford PMC

Presentations for

CAPMC Listing

Fiscal Year 2002

Date

Title: Use of the Plant Materials program with arundo control CFT.

Presenter D.Dyer Location Somis

Date <u>10/3/01</u>
Title: PMC tour

Presenter D.Dyer Location PMC

Date 10/4/01

Title: PMC tour of native grass areas

Presenter D.Dyer Location PMC

Date 10/23/01

Title: PM program overview and its use for buffers

Presenter D. Dyer Location PMC

Date <u>11/29/01</u>

Title: PM program overview, PMC tour and plants role in BMP's.

Presenter D.Dyer Location PMC

Date 12/6/01

Title: PM program overview and jobs in USDA

Presenter D.Dyer Location PMC

Date <u>1/14/02</u>

Title: Native plants used in landscapes

Presenter D.Dyer Location Rincon, CA

Date <u>1/15/02</u>

Title: Native plants used in restoration and demonstration sites.

Presenter D.Dyer Location Willson High School East LA

Date 1/28/02

Title: Lockeford PMC studies and programs

Presenter D.Dyer Location Lockeford, CA

Date 2/12/02

Title: Plant Materials program use in developing Tule lake CFT for wind erosion control.

Presenter D.Dyer Location Tule Lake, CA

Date 2/22/02

Title: Review of weed mapping issues, weed studies and CalFed grants

Presenter D. Dyer Location CDFA Sacramento, CA

Date 3/5/02

Title: CalFed proposal recommendations

Presenter D.Dyer Location Davis, CA

Date 3/14/02

Title: New Emp. Training, tour of PMC

Presenter D.Dyer Location PMC Lockeford

Date 4/16/02

Title: PM program and PMC activities

Presenter D.Dyer Location PMC

Date <u>5/21/02</u>

Title: PMC maintance and budgets

Presenter D.Dyer Location Lockeford PMC

Date 5/23/02

Title: CA tour of plant materials

Presenter D.Dyer, T. Espinosa, J. Location central CA

Date 6/6/02

Title: NEDS new staff training

Presenter D.Dyer, T. Espinosa Location PMC

Date <u>6/10/02</u>

Title: Ag in the class room

Presenter D.Dyer Location PMC

Date 6/19/02

Title: PMC studies overview and PMC tour

Presenter D.Dyer, T. Espinosa Location PMC

Date 7/18/02

Title: New staff training for NEDS

Presenter D.Dyer and T. Espinosa Location Lockeford PMC

Date 7/24/02

Title: SECP training on plant materials

Presenter D.Dyer and T. Espinosa Location Lockeford PMC

Date 7/29/02

Title: NRCS weed/invasive sp. Control efforts

Presenter D. Dyer Location Sacramento CDFA

Date 8/22/02

Title: Plant Materials Program

Presenter D.Dyer Location Lockeford PMC

Date 9/12/02

Title: Review of PM Program and PMC for NEDS new staff

Presenter D.Dyer and T. Espinosa Location Lockeford PMC

Date <u>9/19/02</u>

Title: The PM program and PMC

Presenter D.Dyer Location Lockeford PMC

Customers Assisted by Lockeford PMC

Customer Date Name (minutes	Affiliation	Cust. Type	Gend. I	Race	Information	How Prov.	Staff	Time
9/24/02Dennis Moo lake planting and eva		NRC: in per	S Area Off rson	ice, DAD	OT 960 ICST.	Male	White	Tule
9/23/02Rob Wilson Study at	Coop ext. service in person	e DAD	CO 960	Male	White Susanville	Planting o	of invasiv	e sp.
9/16/02Barny 30 Johansing	tempelton	CO	Male	White	Review production issues of F	Perla	phone	DAD
9/16/02Christian Dadrill contacts	vis phone Center, CA	Sacra DAD	amento Se 15	rvice	FO	Male	White F	Range
9/16/02Jake Sigg Monterey co.	CA Native plant e-mail	soc. DAD	CO 90	Male	White	Veldt gras	ss use in	
9/16/02Martha Malle of native plants and p	•		ative Plant eDAD	Soc. 20	CO issues	Fema	WhiteR	eview
9/16/02Phil Hogan process water	Woodland Service-mail Center, CA	ce DAD	FO 10	Male	White	Kenaf use	ed to clea	an
9/16/02Russ Hass	PM Technical	ОТ	Male	White	Review of NPS agreement dr	afts	e-mail	DAD

Advvisor - National Park Service, CO

9/16/02Shelby Gatli weed calendar	n e-mail State Office	Califo DAD	ornia NR0 60	CS SO	Fema	White	Review of	f
9/13/02Don Hankins person DAD	SUC DAVIS 45	СО	MaleAm	erican Indian	1	PMC stud	y of sedge	sin
9/13/02Lisa Thrrell	USDA USFS	CO	Fema	Unknown	Porpagation methods	e-mail	DAD	10
9/13/02Ron Stutts 15	USFS	СО	Male	Unknown	NASA Moon tree listing on we	eb site	e-mail D	AD
9/13/02Wade Ander activites and projects		Cher DAD	okee Ser 5	vice FO	Male	White	Internatio	nal
9/11/02llona Smith 240	California NRCS State Office	SO	Fema	White	Native plant landscape guide	review	in person	DAD
9/11/02Robert Baile shipping of Oak trees	•	Redo JH	ling Serv 1200	ice FO	Male	White	Growing a	and
9/6/02 Bob Long person DAD	Placerville Service 120 Center, CA	e	FO	Male	White	Seeding r	eview	in
9/6/02 Chip Bouril e-mail DAD	Napa Service Ce 5	nter,	FO	Male	White	Steam res	storation pl	ants

	CA							
9/6/02 Phil Hogan planting e-mail	Woodland Service DAD Center, CA	e 45	FO	Male	White	Review of	hedgerov	N
9/5/02 Rita Bickel CFT proposal	NRCS Area Office phone CA	e, DAD	OT 30	Fema	White concept review.	vineyard a	and wetlar	nd
9/5/02 Todd Golder 10	Willows Service Center, CA	FO	Male	White	Burber seed location of source	e	phone I	DAD
9/3/02 Phil Hogan sheets e-mail	Woodland Service DAD Center, CA	e 15	FO	Male	White	Plants dat	a base fa	ct
8/30/02Barny Johansing	Rancher	GE	Male	White	How to grow Perla seed	phone	DAD	60
8/30/02Rob Wilson Research at	Coop ext. service phone	e DAD	CO 45	Male	White Susanville	Invasive s	p. (white	top)
8/26/02Audrey Coopstory on PMC	per in person	Stock DAD	ton Recor 200	d GE	Fema	White	Helped v	vith
8/26/02Dr. Mary Geigerm	Mich. State Univ	GE	Fema	White	native plant restoration	phone	DAD	20
8/26/02Patrick Ever of tree/range CFT	ns phone Center, CA	Place DAD	erville Serv 30	rice	FO	Male	WhiteRe	view

8/22/02Lauren Hast proposal review requ	•	e-ma	FED 1416 iilDAD	CO 15	Fema	White	CALFE	D
8/20/02Mike Wackn of PMC and use of P	-	Hous in pe	se of Rep. rson	Cong. DAD	CO 200 endangered sp. Recovery	Male	WhiteR	eview
8/13/02Chuck Bell 120	California NRCS	so	Male	White	Vulnerability Assessment not	es and	e-mail	DAD
	State Office				review			
8/6/02 Tom Jones	USDA-ARS Utah State Univ.	CO	Male	White	Native seed for genitic study	mail	DAD	100
8/2/02 Ken Weaver weed study	r Susanville Servio e-mail Center, CA	ce DAD	FO 70	Male	White	Squirrelta	il seed fo	or
8/1/02 Sharon bene study mail	es JH	CSU 45	Fresno	CO	Fema	White	Rio see	ed for
7/25/02Rick Aguayo Mojave yucca	Apple Valley Ser phone	vice DAD	FO 60	Male	Hispanic	Processin	ıg facilitie	es for
	Center, CA				plant			
7/19/02Fredrico Mie in a landscaping proj		Caliv in pe	ares High rson	GE DAD	Male 120	Hispanic	Plant to	use
7/17/02Terry Huff 420	Concord Service	FO	Male	White	Reviewed and provided ideas	s for new	in perso	onDAD
	Center, CA				irrigated ag. Land developme Livermore area.	ent in the		

6/18/02Ann Francis 90	Alturas Service	FO	Fema	White	Review of willow bioeng. Star	ndards for	mail	DD
	Center				use in Fresno			
6/18/02Bob Long landfill cover	Placerville Service phone	e DD	FO 20	Male	White	Sp recom	mendatio	n for
	Center				at Jackson.			
6/18/02Vic Smother School training site of			ondido S ail DD	Service 12	FO	Male	White	High
6/14/02Phil Hogan Pacific Coast	Woodland Service	e DD	FO 420	Male	White	Review of	800 ac.	At
Pacific Coast in person Center		DD	420		Producers for using tomato w Recommended sp to use and uses of waste and property.			
6/13/02Victor Schaf	f California NRCS State Office	СО	Male	Hispanic	PMC releases	in person	DD	90
6/6/02 Steve School mapping isssues	enig e-mail State Office	Calif DD	ornia NI 10	RCS CO	Male	White	weed	
6/5/02 Steve Griffith 420	hUSDA-ARS	СО	Male	White	Collecting grass plot samples	for	in perso	n DD
					ethonol study			
6/3/02 Razi Syed	LA area	GE	Male	Asian/ Pacific	Native plant low water use in landscaping in LA area. 310-439-2146	phone	DD	20
6/3/02 Sylvia	Red Bluff Service	Э	FO	Fema	White	Release p	papers or	1

many PMC Hickenloope	mail r	DD	60		Center cultivars			
5/30/02John grasses for Weatherford	Woodland Service in person	e DD	FO 420	Male	White carbon CFT	Root sam	ples on na	tive
5/30/02John thissel plots Weatherford	Woodland Service in person	e DD	FO 120	Male	White	Evaluation	of yellow	star
5/28/02Rita Bickel locate and send	NRCS Area Office mail	e DD	OT 45	Fema	White	Ag handbo	ook 339,	
5/23/02John Anders production review	son in person State Office	Califo DD	ornia NRC 30	s co	Male	White	seed	
5/20/02Russ Haas	Colorado NRCS State Office	SO	Male	White	NPS project review	in person	DD 2	250
5/15/02Alicia Flamn Danthonia	nia e-mail	UCD DD	GE 15	Fema	Hispanic californica.	Propagation	on advice (on
5/15/02Bryan Larga in relation to the sam	•	San (e-ma	Cruz co Ro il DD	CDGE 20	Male sp in river areas.	White	spread of	RIO
5/15/02Chris Locke	Stockton	CO	Male	White	Native plant planting	in person	DD	15
5/15/02Dennis Moo strain trail planting at	=	Yreka in pe	a Service rson	FO DD	Male 1800 lake, 40 acc.	White	Intercente	er

5/15/02Ed Tallyn	California NRCS State Office	SO	Male	White	Review of new MLRA map	in person	DD	45
5/15/02Gary Shmit 15	USDA- FS	GE	Male	White	Meeting to review seed zones	3.	phone	DD
5/15/02Hank Wyma Review PM program			ornia NRC rson	S SO DD	Male 60 with Acs	American	Indian/	
5/15/02Holley 10	IT corp	GE	Fema	White	Rooting depth of grasses and	ET rates	phone	DD
Bushman	619-533-7329							
5/15/02John Anderseed production field	-	Woodin pe	dland rson	CO DD	Male 80	White	Review	of
5/15/02Lauren Hast alfed paper work on	•	DD	ED 1416 20	CO	Fema proposals	White	review of	f
5/15/02Millissa Trad mail DD	ler 12 702-914-2206	USG	S Las Veg	as GE	Fema	White	Tech not	e 38
5/15/02Phil Blake ange CFT,	Napa Service Ce phone	nter DD	FO 30	Male	White vineyard erosion study.	Willow stu	dy evalua	ation,
5/15/02Randy Sutha tudents reviewed so		UCD in pe	-Soils rson	GE DD	Male 5 at PMC.	White	Ten UCE)
5/15/02Stan Young phone DD	Utah Crop imp as 20	SS.	GE	Male	White	Growing F	Rio in Utal	h.

435-797-2082

5/15/02Steve Griffit 600	hUSDA-ARS	CO	Male	White	Ethanol grass samples of PM	IC	in persoi	n DD
					grasses, related to carbon CI	-Ts		
5/15/02Steve School weed projects	enig phone	sacr DD	amento 15	CO	Male	White	review o	f
5/15/02Tim Walls erosion site.	Mendocino Co R phone	CD DD	GE 20	Male	White	Willow us	e in a stre	eam
5/15/02Victor Schaf 25	ffsomis	СО	Male	Hispanic	seed production of NRCS va	rities	phone	DD
5/7/02 Steve Griffit 120	hUSDA-ARS	СО	Male	White	provide seed samples for ger	menation	in persoi	n JH
					study			
4/30/02Erik Beardsl at Burrows ranch for	•	Red DD	Bluff Sei	rvice FO	Male	Hispanic	Grass cl	iping
	Center				carbon CFT			
4/24/02John grasses for	Woodland Service in person	ce DD	FO 1200	Male	White	Root sam	pling of n	ative
Weatherford	•				carbon CFT			
4/23/02Carl Striby seeding plots	Templeton Servi in person Center	ce DD	FO 660	Male	White	Evaluation	n of range)
4/22/02Bob Long vetch plots at	Placerville Servicin person	ce DD	FO 180	Male	White	Evaluation	n of Lana	
	Center				Comanche hunting club.			

3/27/02Lauren Has CalFed proposals.	tings e-mail Ninth St Room	DD	FED 1416 900	CO	Fema	White	Review o	of
3/27/02Lauren Has CalFed proposals	tings e-mail Ninth St Room	DD	FED 1416 950	CO	Fema	White	Review o	of
3/27/02Lauren Has and reccommended		in pe	FED 1416 erson	CO DD	Fema 950 in reguards to 110 CalFed pr which totaled \$480,000,000. Govt., Univ., and NGOs dev these proposals to work on w quality and invasive sp. Issu a total of 100 hr on this work.	RCDs, eloped vater es. Spent	Reviewe	d
3/26/02Dave Zoldo Reference for propo	_		no State Une DD	Jniv. 10	GE	Male	White	
3/26/02Emilo Rank 13	a UC Davis	GE	Male	Hispanic	Native plant propagation for t	ield day	phone	DD
3/26/02Mark Venis	Vetiver works	GE	Male	Unknown	Use of vetiver grass in NRCS programs	S phone	DD	15
3/26/02Sam Aslan cover crop	Indio Service Cophone	enter DD	FO 10	Male	Other	Use of m	ustard as a	a

2/6/02 Anita Bi 15	own California NRCS	S SO	Fema	White	Use of grasses for bio-energy	/	e-mail	DD
	State Office				production			
2/6/02 Ceci obtaining range	Susanville Servi seed e-mail	ce DD	FO 80	Fema	White	Selection,	use and	i
Dale-Ce	esmat				Center for study at Susanville	e.		
2/6/02 Erik Bea	ardsley phone	NRC DD	S Area O 20	fficeOT	Male	Hispanic	Tule lak	ке
2/6/02 James info for Tule lake		_	S Area O	fficeOT 14	Male	White	Soil qua	ality
2/6/02 Lincoln research worksh		USD DD	0A-ARS 75	GE	Male	White	Ideas fo	or turf
2/6/02 Patrick control in new tr			erville Sei erson	rvice DD	FO 180 area CFT review.	Male	White I	Brush
2/6/02 Richard hillside natural Campbo	in person	ce DD	FO 600	Male	Black resources education and demonstration area.	Willson H	igh Scho	ool
2/6/02 Rincon Landscape plar	Indians Infor Rincon Indians.		ondido erson	GE DD	Unkn 600	American	Indian/	
2/6/02 Ron Till	er UCD	GE	Male	Unknown	Info. On Atriplex confertifolia propagation.	e-mail	DD	20
2/6/02 Sandra 1500	Higa Alturas Service	FO	Fema	White	Tule lake CFT development a	and	in perso	on DD
Cente	meeting with a	II inter	ested age	ncies.				

2/6/02 Steve JewettSomis Service (crop CFT in person			FO 600	Male	White	Arundo C	FT and co	over	
					review.				
2/6/02 Troy Bailey 120	Bailey Seed	GE	Male	White	Berber foundation seed requ	est, total	in persor	n JH	
					50 AC in OR.				
1/11/02Bob Joy	Hawaii Plant Materials Specia	OT list	Male	White	Review of W. PM notes	e-mail	DD	10	
1/11/02Chuck Cam Blando foundation s			prath s ne DD	eed CO 12	CO	Male	Hispanio	;	
1/11/02Dan Ogle 10	Idaho Plant	ОТ	Male	White	National PM meeting agenda	items	e-mail	DD	
	Materials Specia	list							
1/11/02Dolly Choi restoration	Inland Empire W phone	est DD	CO 20	Fema	Asian/ Pacific	Oak prop	agation,		
	•				education program.				
1/11/02Erik Beards	ley	_		OfficeOT	Male	Hispanic	Review	CFT	
draft proposals on	e-mail	DD	120		range/carbon				
1/11/02Glenn 20	Hoolehua Plant	ОТ	Male	Asian/ Pacific	Farm show info. On conserva	ation	phone	DD	
Sakamoto	Materials Center				tillage.				
1/11/02James Kom soils data for Tule la	-	_	S Area ail DD	OfficeOT 15	Male	White	Review	of	

1/11/02 Jason Jackson trip/site visit on 1-14-2002 Center		Escondido Service phone DD 30			FO	Male	WhiteReview	
1/11/02Lisa Hokhol use in SF.	t San Francisco U phone Office	rban DD	OT 20	Fema	White	Stipa gen	etics paper for	
1/11/02Mandy Tu 20	The Nature	СО	Fema	Asian/ Pacific	Veg. Guide use for invasive s	sp.	phone DD	
20	Conservancy of Oregon				Control and restoration.			
1/11/02Patrick Evar of CFT brush control	_		erville S erson	Service DD	FO 175 areas	Male	WhiteReview	
1/11/02Paul Bened CA. trip to Escondido			S Area	OfficeOT 15	Male	White	Review S.	
CA. trip to Escondide	J, LA	prioi	ie DD	13	and Somis. Also reviewed R conservation center.	iverside		
1/11/02Phillip Blake Study phone	e Napa Service Ce DD	enter 20	FO	Male	White	Develop v	willow/salt tol.	
1/11/02Stephen Jev			nis Servi ne DD	ice Center 15	FO	Male	WhiteReview	
cover crop and Arun	do trip ori	prior	IC DD	10	1-16-2002.			
12/13/01 control of invasive sp	Bob Long o. Center		Bluff Seerson	ervice FO DD	Male 120	White	FP seed for	

12/13/01 shipments DoFreso	Carolyn phone Center	Fresno Service DD 20	FO	Fema	Unknown	FP seed
12/13/01 grass seed order for	Cheryl Zelus field Center	Templeton Servi	ice JH	FO 480 planting use	Fema	White Native
12/13/01 order shipping	Dave Duraham phone Center	Fresno Service JH 10	FO	Male	White	FP seed
12/13/01 orders for pasture, w	Dave Duraham vildlife Center	Fresno Service in person	FO JH	Male 780 area, CAT bank, idle farm lar restoration.	White	5 FP seed
12/13/01 order for stream CA	Dave Simpson Tin person Center	Stockton Service JH 3	e FO	Male	White	FP seed
12/13/01 order shipment	Dave Simpson phone Center	Stockton Service JH 5	e FO	Male	White	FP Seed
12/13/01 seed planting for cov	Doug Petters ver	Hanson trust UC phone DD	20	Male crops	White	Info on Sulla
12/13/01 soil - plant interactio	Emmett Cartier ns Center	Concord Service phone DD	FO 10	Male	White	Soil survey ,

12/13/01 Larry Branha propagation info for a grass		Red Bluff Service FO phone JH 10	Male	White	FP plant				
	Center	•	waterway	waterway					
12/13/01 person JH	Lori Metz 60 Center	Willows Service FO	Fema	White	Seed for FPin				
12/13/01 range seeding	Lori Metz phone Center	Willows Service FO JH 5	Fema	White	FP order for				
12/13/01 School conservation Campbell	Richard phone Center	Lancaster Service FO DD 10	Male demo site, planning review	Black trip.	Willson High				
12/13/01 wetlands to control F	Tom Suazez Penn mine Utility District	East Bay Municipal in person DD	CO 30 copper waste coming into l	Male Pardee	White Use of				
12/10/01 mulching and weed f Appleton	Harold free	Prnuski-Chatham CO phone DD 20	Male forage information.	Unknown	Reveg.,				
12/10/01 overview and PMC MacLean	Jennifer in person State Office	California NRCS SO DD 120	Fema operations training	White	PM Program				
12/10/01 collections of four sti	Tom Jones pa native State Univ.	USDA-ARS Utah CO mail DD 60	Male grasses for gene study.	White	Seed				
12/3/01Ann Francis 30	Alturas Service Center	FO Fema White	Propagation of oaks, FP red	quest	e-mail DD				

12/3/01 Carlon 15	Mich. State Univ	. GE	Fema	Unknown	Bolando brome seeding rates	s and use	phone	DD
Malstom								
12/3/01 Jinnifer 15	National Plant	ОТ	Fema	White	Info.on national PLANTS Nev	wsletter,	phone	DD
Kujawski	Materials Center	•			topics			
12/3/01Michael PI187309 Anthony	Sanoma State U phone	niv. DD	GE 10	Male	Unknown	Ehrharta	calycina	
12/3/01Rita Bickel	NRCS Area Office		OT	Fema	White	CTF, FP	and weed	S
info, with Tech	phone	DD	10		note 56			
11/16/01 blower out and hook	David Simpson ed to Center		kton Serverson	vice FO CA	Male 90 4x4 dodge, did maintance an For equipment to go off cente		Got stra	W
11/16/01 FP with Lana vetch a	Marcel Smith and P, Utility District		: Bay Mur erson	nicipal DD	CO 360 Planted study to determine le to use to control invasive sp.	Male evel of P	WhitePla	anted
11/13/01 on Sulla vetch	Alfred Ramos phone	Som DD	is Service 10	e Center	FO	Male	Hispanio	Info
11/13/01 development of fire	Bruce Munda e-mail	Arizo DD	ona Plant 130	ОТ	Male	White	Review	and
·	Materials Specia	list			rehab. brochure			

11/13/01 vetch for use in	Doug Petters phone	Hans DD	son trust Uo 30	C CO	Male	White	Info on s	ulla
11/13/01 note 16 using rice hu	Glenn Ills to		lehua Plant ne DD	OT 15	Male	Asian/ Pa	cific PM	tech
Sakamoto	Materials Center				seed very small seed.			
11/13/01 use in CA	Mark Venis phone	N/A DD	GE 20	Male	Unknown	Info on Ve	etaver gra	SS
11/5/01Lisa Hokhol 30	t San Francisco	FO	Fema	White	Stipa seeding issues, how far	the	e-mail	DD
					source seed can be away from restoration project.	m the		
11/5/01Marta Lutz 10	Red Bluff	СО	Fema	White	PMC info on NRCS plants to	use in	mail	DD
					watershed areas, brochure			
11/5/01Richard Cro Native grass propaç			allis USDA ail DD	FS 15	CO	Male	Unknowr	ı
10/31/01 Arundo CFT review	Alfred Ramos phone	Som DD	is Service (6	Center	FO	Male	Hispanic	
10/31/01 CFT development	Charles Diehl phone Center	Yrek DD	a Service 5	FO	Male	White	Wind ero	sion

10/31/01 review of	Chile group in person	Chile GE DD 2400	Male	Hispanic	Chile gro	oup of 5 persons			
	po.oo			buffer and WQ issues in and near stream areas and popular trees used to remove N and P. Worked with Napa, Concord, Modesto, Jamestown staffs.					
10/31/01 CFT development	Dennis Moore phone	Red Bluff AO DD 8	ОТ	Male	White	Wind erosion			
10/31/01 James Komar		Red Bluff Area phone DD	OT 8	Male	White	Soil sample			
types and lab tests r	Office	priorie DD	J	for Petaluma manure use study					
10/31/01 Jon Gustafson manure use study, soil		Petaluma phone DD	FO 12	Male	White	Plan for			
manure use study, s	oon	priorie DD	12	samples and lab tests neede	ed.				
10/31/01 study needs, FO req	Paul Benedict juests	Riverside AO phone DD	OT 5	Male	White	CFT and			
10/31/01 on willow study, nap	Phillip Blake	Napa Service C	Center 13	FO	Male	White Ideas			
on whow study, hup	a river, to	phone UU 13		find out salt tol. Levels, plant at different ele.					
10/31/01 conservation and de Campbell	Richard mo area Center	Lancaster Serv phone DD	ice FO 7	Male development	Black	Backyard			
10/31/01 assistance request	Sandra Higa phone Center	Alturas Service DD 10	FO	Fema	White	Stream team			

10/12/01 data, 216 soil sample Weatherford	•	Woodland Servicin person	ce FO DD	Male 1320 two root evaluations on native for carbon seq., at J. Anderso	-	collected field
10/12/01 grass performance s	Lucy Adams standards	Eva Butler and Aphone DD	Ass. 35	GE and specs. For Sacramento fl retention basins.	Fema ood	Black Native
10/12/01 propagation and sou	Marcia Gibbs irce	1170 N Lincoln phone DD	CO 15	Fema	White	Saltgrass
10/12/01 Norman 10 Melven	Fort Collens, CC	CO Male U	nknown	Info on wetland instructors for Wetland Sci. Ist. Course at Da Wetland weeds issues		phone DD
10/12/01 propagation of Calar	Richard Cronn magrostis	USDAFS e-mail DD	GE 15	Male breweri	Unknown	Info on
10/12/01 restoration, sp. Use	Steve Jewett in	Somis Service C phone DD	Center 20	FO grasswater way, Arundo CFT crop CFT	Male , Cover	WhiteStream
10/5/01Bruce Verhe	eiOlympia, WA 13	GE MaleAmer	ican Indiar	n/	Beargrass	propagation
10/5/01Erik Beards and root guidance	ley phone	Red Bluff AO DD 60	ОТ	Male	Hispanic	CFT carbon

10/5/01Judy Harrington propagation and materials		Fort Collins, CO GE e-mail DD 11			Fema Black		Saltgrass	
10/5/01Ken Weaver Susanville Service review phone DD Center		e 20	FO	Male	White	Invasive s	p. Seedin	ng
10/5/01Larry Branha native grass filter stri			Bluff Servione DD	ce FO 15	Male	White	FP revie	W,
10/5/01Larry Pollard 53	MN	GE	Male	White	Use of native grass seed drill	s in CA	in persor	n DD
10/5/01Mike 10 McElhiney	Modesto Service Center	FO	Male	White	Modesto JC projects and stud	dies	phone	DD
10/5/01Ron Alves 73	Modesto, CA	GE	Male	White	Joint studies and projects with	h	in persor	n DD
9/28/01Ann Francis 60	Alturas Service	FO	Fema	White	Modesto JC restoration site and carbon se	eq.	phone	DD
	Center				Review			
9/28/01Emmett Car planting guidance	tier phone	Liver DD	rmore 20	FO	Male	White	Restorat	ion

PMC Seed Production of NRCS Releases by CAPMC

Release/Symb	lbs.	\$/lbs.	Valu	lbs.	\$/lbs.	Valu	lbs.	\$/lbs.	Valu	Total
Akaroa / DAGL	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
Berber / DAGL	350	\$10.00	\$3,500	0	\$0.00	\$0	0	\$8.00	\$0	\$3,500
Blando / BRHOH	0	\$0.00	\$0	0	\$0.00	\$0	0	\$2.00	\$0	\$0
Cucamonga / BRCA5	70	\$10.00	\$700	0	\$0.00	\$0	0	\$6.00	\$0	\$700
Cuesta / CEFL4	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
Dorado / CLIS	20	\$10.00	\$200	0	\$0.00	\$0	0	\$0.00	\$0	\$200
Duro / ERFA2	6	\$40.00	\$240	0	\$0.00	\$0	0	\$0.00	\$0	\$240
Lana / VIVIV8	0	\$0.00	\$0	0	\$0.00	\$0	0	\$1.20	\$0	\$0
Lassen / PUTR2	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
LK115d Germplasm / NAPU4	1	\$40.00	\$40	0	\$0.00	\$0	0	\$50.00	\$0	\$40
LK215e Germplasm / NAPU4	1	\$50.00	\$50	0	\$0.00	\$0	0	\$50.00	\$0	\$50
LK315d Germplasm / NAPU4	1	\$50.00	\$50	0	\$0.00	\$0	0	\$50.00	\$0	\$50
LK415f Germplasm / NACE	1	\$50.00	\$50	0	\$0.00	\$0	0	\$40.00	\$0	\$50
Maleza / CECO	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
Marana / ATCA2	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
Mariposa / ELGL	10	\$40.00	\$400	0	\$0.00	\$0	0	\$15.00	\$0	\$400
MonteFrio / TRHI4	0	\$0.00	\$0	0	\$6.00	\$0	0	\$4.00	\$0	\$0
Panoche / BRRU2	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
Perla / PHAQ	50	\$10.00	\$500	0	\$0.00	\$0	0	\$7.00	\$0	\$500
Rio / LETR5	20	\$50.00	\$1,000	0	\$0.00	\$0	0	\$40.00	\$0	\$1,000

Sierra / ERUMP	15 \$40.00	\$600	0 \$30.00	\$0	0 \$0.00	\$0	\$600
Wilton / TRHI4	0 \$0.00	\$0	0 \$0.00	\$0	0 \$4.00	\$0	\$0
Wimmera 62 / LORI	0 \$0.00	\$0	0 \$0.00	\$0	0 \$1.00	\$0	\$0
Zorro / VUMY	150 \$9.00	\$1,350	0 \$8.00	\$0	0 \$7.00	\$0	\$1,350
Total Value for CA:	695	\$8,680	0	\$0	0	\$0	\$8,680
Grand Totals:	695	\$8.680	0	\$0	0	\$0	\$8.680

PMC Vegetative Production of NRCS Releases

Release / Symbol	Type	Clas A	mount	Value	Total
Dorado / CLIS	Liners	Foundation/G1	200	\$3.00	\$600
Dorado / CLIS	Containe	rFoundation/G1	500	\$4.00	\$2,000
	Total for R	Release:	700		\$2,600
Duro / ERFA2	Liners	Foundation/G1	3,200	\$3.00	\$9,600
	Total for R	telease:	3,200		\$9,600
LK115d Germplasm / N	IAPU4Liners	Foundation/G1	2,000	\$0.20	\$400
	Total for R	telease:	2,000		\$400
Marana / ATCA2	Containe	rFoundation/G1	500	\$3.00	\$1,500
	Total for R	delease:	500		\$1,500
Rio / LETR5	Liners	Foundation/G1	21,600	\$0.20	\$4,320
Rio / LETR5	Liners	Foundation/G1	4,400	\$0.20	\$880
	Total for R	Release:	26,000		\$5,200

Sierra / ERUMP	ContainerFoundation/G1	500	\$4.00	\$2,000
	Total for Release:	500		\$2,000
Total fo	or State (all releases):	32,900		\$21,300
Grand Total (al	Il states, all releases):	32,900		\$21,300

Other Production for CAPMC

<u>Vegetative Production:</u>									
Stock Type	Amount	Purpose	Comment						
Liners	19000	field planting							
Liners	55000	field planting							
Liners	15000	reimbursable	NPS						
Liners	5000	field planting							

Commercial Seed Production of NRCS Lockeford PMC Releases

	Foundation			С	ertified S	Seed	Common Seed				
Release/Symb	lbs.	\$/lbs.	Valu	lbs.	\$/lbs.	Valu	lbs.	\$/lbs.	Valu	Total	
Akaroa / DAGL	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0	
Berber / DAGL	0	\$10.00	\$0	0	\$0.00	\$0	2000	\$8.00	\$16,000	\$16,000	
Blando / BRHOH	0	\$0.00	\$0	0	\$0.00	\$0	100000	\$2.00	\$200,000	\$200,000	
Cucamonga / BRCA5	0	\$10.00	\$0	0	\$0.00	\$0	30000	\$6.00	\$180,000	\$180,000	
Cuesta / CEFL4	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0	

Dorado / CLIS	0	\$10.00	\$0) 0	\$0.00	\$0	0	\$0.00	\$0	\$0
Duro / ERFA2	0	\$40.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
Lana / VIVIV8	0	\$0.00	\$0) 0	\$0.00	\$0	120000	\$1.20	\$144,000	\$144,000
Lassen / PUTR2	0	\$0.00	\$0) 0	\$0.00	\$0	0	\$0.00	\$0	\$0
LK115d Germplasm / NAPU4	0	\$40.00	\$0) 0	\$0.00	\$0	200	\$50.00	\$10,000	\$10,000
LK215e Germplasm / NAPU4	0	\$50.00	\$0) 0	\$0.00	\$0	300	\$50.00	\$15,000	\$15,000
LK315d Germplasm / NAPU4	0	\$50.00	\$0) 0	\$0.00	\$0	150	\$50.00	\$7,500	\$7,500
LK415f Germplasm / NACE	0	\$50.00	\$0) 0	\$0.00	\$0	200	\$40.00	\$8,000	\$8,000
Maleza / CECO	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
Marana / ATCA2	0	\$0.00	\$0	0	\$0.00	\$0	0	\$0.00	\$0	\$0
Mariposa / ELGL	0	\$40.00	\$0) 0	\$0.00	\$0	3000	\$15.00	\$45,000	\$45,000
MonteFrio / TRHI4	0	\$0.00	\$0	200	\$6.00	\$1,200	9000	\$4.00	\$36,000	\$37,200
Panoche / BRRU2	0	\$0.00	\$0) 0	\$0.00	\$0	0	\$0.00	\$0	\$0
Perla / PHAQ	0	\$10.00	\$0	0	\$0.00	\$0	10000	\$7.00	\$70,000	\$70,000
Rio / LETR5	0	\$50.00	\$0) 0	\$0.00	\$0	2000	\$40.00	\$80,000	\$80,000
Sierra / ERUMP	0	\$40.00	\$0	60	\$30.00	\$1,800	0	\$0.00	\$0	\$1,800
Wilton / TRHI4	0	\$0.00	\$0	0	\$0.00	\$0	5000	\$4.00	\$20,000	\$20,000
Wimmera 62 / LORI	0	\$0.00	\$0	0	\$0.00	\$0	100000	\$1.00	\$100,000	\$100,000
Zorro / VUMY	0	\$9.00	\$0	500	\$8.00	\$4,000	40000	\$7.00	\$280,000	\$284,000
Total Value for CA:		0	\$) 76	30	\$7,000	42185	50 \$	\$1,211,500	\$1,218,500
Grand Totals:		0	\$	76	60	\$7,000	421,85	50 5	\$1,211,500	\$1,218,500